


# EDGE PAINT COLOR CHART



**SECTION LACQUER<sup>®</sup> COLOURS**  
*Nature, beauty, technology*



*Loving Leather*

*Leathergoods Specialities*

**Campbell-Randall Machinery Co.**

401 Irvine St. Yoakum TX 77995 USA

Tel: 1-800-327-9420 (US only) or +361-293-7015

Fax: +361-293-7817 Email: [info@Campbell-Randall.com](mailto:info@Campbell-Randall.com)

[WWW.CAMPBELL-RANDALL.COM](http://WWW.CAMPBELL-RANDALL.COM)



# AR 6350/6400 series

## PROFESSIONAL EDGE PAINTS

The premium Italian edge paint ideal for finishing the cut edges of leather bags, belts, straps, shoe uppers, and saddlery.

- Provides superior coverage and excellent finish without the need for hand buffing or a clear coat.
- Special formula of natural and synthetic polymers provides a durable and flexible finish.
- Water based for easy clean up.
- Non-Flammable - Non-Toxic
- Apply by hand or with machines
- Dries to the touch in minutes - fully sets in 48 hours.
- Dry times can be accelerated with limited heat, which can also increase resistance to water.
- Sold in convenient 1 liter plastic bottles
- Available in 194 colors!

### APPLICATION:

- Apply first coat and let dry.
- Burnish with soft leather wheel or hot glaze.
- Apply second coat on the smoothed surface for a uniform and sealed finish.
- Repeat as needed.

### AVAILABLE FINISHES:

**AR6350 = Glossy Finish:** Medium high viscosity and elevated degree of shine. Resists dripping and provides excellent adhesion and high flexibility with wet-dry abrasion resistance. Designed for absorbent leathers.

**AR6350P = Glossy PLUS Finish:** High gloss finish, with a smooth, well sealed edge. High viscosity and drip resistance. Excellent adhesion and high flexibility with wet-dry abrasion resistance. Excellent cold-flex resistance. Designed for very absorbent leathers. Requires fewer applications on normal leathers.

**AR6400 = Matt Finish:** Medium high viscosity with a pleasant matt finish. Resists dripping and provides excellent adhesion and high flexibility with wet-dry abrasion resistance. Designed for absorbent leathers.

**AR6400P = Matt PLUS Finish:** High viscosity for absorbent leathers and difficult to paint leathers. Requires fewer applications on normal leathers.

### STANDARD STOCK COLORS

- Normally stocked in both glossy & matte finish
- No minimum



AR 6451/T



AR 6460/T 1078



AR 6460/T 1095



AR 6460/T 1112



AR 6455/T



AR 6467/T



AR 6471/T



AR 6472/T



AR 6458/T



AR 6477/T




AR 6460/T 710




AR 6460/T 144




AR 6453/T



AR 6476/T



AR 6485/T



AR 6499/T

### LIMITED STOCK SPECIAL ORDER COLORS

- No minimum if in stock



AR 6460/T 1204




AR 6460/T 543



AR 6460/T 564



AR 6460/T 1216



AR 6460/T 591



AR 6460/T 593



AR 6460/T 595



AR 6460/T 597



AR 6460/T 1223



AR 6460/T 623



AR 6460/T 1228



AR 6460/T 661



# AR 6350/6400 series

## PROFESSIONAL EDGE PAINTS

### SPECIAL ORDER COLORS

- Some of these colors may be in stock per special request with limited availability.
- There is a 15 liter minimum for all non-stock special order colors.

<b>1</b> AR 6460/T 501	<b>13</b> AR 6460/T 513	<b>25</b> AR 6460/T 525	<b>37</b> AR 6460/T 537
<b>2</b> AR 6460/T 502	<b>14</b> AR 6460/T 514	<b>26</b> AR 6460/T 1201	<b>38</b> AR 6460/T 538
<b>3</b> AR 6460/T 503	<b>15</b> AR 6460/T 452	<b>27</b> AR 6460/T 1202	<b>39</b> AR 6460/T 539
<b>4</b> AR 6460/T 937	<b>16</b> AR 6460/T 516	<b>28</b> AR 6460/T 528	<b>40</b> AR 6460/T 540
<b>5</b> AR 6460/T 505	<b>17</b> AR 6460/T 1200	<b>29</b> AR 6460/T 529	<b>41</b> AR 6460/T 1204
<b>6</b> AR 6460/T 506	<b>18</b> AR 6460/T 518	<b>30</b> AR 6460/T 463	<b>42</b> AR 6460/T 542
<b>7</b> AR 6460/T 507	<b>19</b> AR 6460/T 1107	<b>31</b> AR 6460/T 531	<b>43</b> AR 6460/T 543
<b>8</b> AR 6460/T 759	<b>20</b> AR 6460/T 892	<b>32</b> AR 6460/T 532	<b>44</b> AR 6460/T 544
<b>9</b> AR 6460/T 509	<b>21</b> AR 6460/T 521	<b>33</b> AR 6460/T 3023	<b>45</b> AR 6460/T 545
<b>10</b> AR 6460/T 343	<b>22</b> AR 6460/T 522	<b>34</b> AR 6460/T 534	<b>46</b> AR 6460/T 546
<b>11</b> AR 6460/T 157	<b>23</b> AR 6460/T 523	<b>35</b> AR 6460/T 535	<b>47</b> AR 6460/T 547
<b>12</b> AR 6460/T 1063	<b>24</b> AR 6460/T 524	<b>36</b> AR 6460/T 1203	<b>48</b> AR 6460/T 548



# AR 6350/6400 series

## PROFESSIONAL EDGE PAINTS

## SPECIAL ORDER COLORS

<b>49</b> AR 6460/T 549	<b>62</b> AR 6460/T 562	<b>75</b> AR 6460/T 1214	<b>88</b> AR 6460/T 588	<b>101</b> AR 6460/T 601	<b>114</b> AR 6460/T 614
<b>50</b> AR 6460/T 1205	<b>63</b> AR 6460/T 563	<b>76</b> AR 6460/T 1215	<b>89</b> AR 6460/T 1221	<b>102</b> AR 6460/T 1222	<b>115</b> AR 6460/T 1224
<b>51</b> AR 6460/T 1206	<b>64</b> AR 6460/T 564	<b>77</b> AR 6460/T 577	<b>90</b> AR 6460/T 1114	<b>103</b> AR 6460/T 603	<b>116</b> AR 6460/T 616
<b>52</b> AR 6460/T 552	<b>65</b> AR 6460/T 1208	<b>78</b> AR 6460/T 1216	<b>91</b> AR 6460/T 591	<b>104</b> AR 6460/T 357	<b>117</b> AR 6460/T 617
<b>53</b> AR 6460/T 422	<b>66</b> AR 6460/T 1209	<b>79</b> AR 6460/T 579	<b>92</b> AR 6460/T 592	<b>105</b> AR 6460/T 1007	<b>118</b> AR 6460/T 819
<b>54</b> AR 6460/T 554	<b>67</b> AR 6460/T 473	<b>80</b> AR 6460/T 1217	<b>93</b> AR 6460/T 593	<b>106</b> AR 6460/T 606	<b>119</b> AR 6460/T 1225
<b>55</b> AR 6460/T 555	<b>68</b> AR 6460/T 1210	<b>81</b> AR 6460/T 1218	<b>94</b> AR 6460/T 594	<b>107</b> AR 6460/T 1223	<b>120</b> AR 6460/T 1226
<b>56</b> AR 6460/T 556	<b>69</b> AR 6460/T 1211	<b>82</b> AR 6460/T 1219	<b>95</b> AR 6460/T 595	<b>108</b> AR 6460/T 608	<b>121</b> AR 6460/T 621
<b>57</b> AR 6460/T 347	<b>70</b> AR 6460/T 788	<b>83</b> AR 6460/T 1220	<b>96</b> AR 6460/T 596	<b>109</b> AR 6460/T 943	<b>122</b> AR 6460/T 622
<b>58</b> AR 6460/T 119	<b>71</b> AR 6460/T 1094	<b>84</b> AR 6460/T 584	<b>97</b> AR 6460/T 597	<b>110</b> AR 6460/T 63	<b>123</b> AR 6460/T 623
<b>59</b> AR 6460/T 1207	<b>72</b> AR 6460/T 1212	<b>85</b> AR 6460/T 585	<b>98</b> AR 6460/T 598	<b>111</b> AR 6460/T 611	<b>124</b> AR 6460/T 624
<b>60</b> AR 6460/T 560	<b>73</b> AR 6460/T 23	<b>86</b> AR 6460/T 586	<b>99</b> AR 6460/T 599	<b>112</b> AR 6460/T 233	<b>125</b> AR 6460/T 625
<b>61</b> AR 6460/T 561	<b>74</b> AR 6460/T 1213	<b>87</b> AR 6460/T 587	<b>100</b> AR 6460/T 600	<b>113</b> AR 6460/T 137	<b>126</b> AR 6460/T 626



# AR 6350/6400 series

## PROFESSIONAL EDGE PAINTS

## SPECIAL ORDER COLORS

<b>127</b> AR 6460/T 1175	<b>140</b> AR 6460/T 640	<b>153</b> AR 6460/T 1232	<b>166</b> AR 6460/T 666
<b>128</b> AR 6460/T 1227	<b>141</b> AR 6460/T 641	<b>154</b> AR 6460/T 654	<b>167</b> AR 6460/T 667
<b>129</b> AR 6460/T 629	<b>142</b> AR 6460/T 1231	<b>155</b> AR 6460/T 655	<b>168</b> AR 6460/T 668
<b>130</b> AR 6460/T 1228	<b>143</b> AR 6460/T 643	<b>156</b> AR 6460/T 1233	<b>169</b> AR 6460/T 1235
<b>131</b> AR 6460/T 631	<b>144</b> AR 6460/T 3040	<b>157</b> AR 6460/T 657	<b>170</b> AR 6460/T 670
<b>132</b> AR 6460/T 1229	<b>145</b> AR 6460/T 645	<b>158</b> AR 6460/T 658	<b>171</b> AR 6460/T 671
<b>133</b> AR 6460/T 1230	<b>146</b> AR 6460/T 646	<b>159</b> AR 6460/T 659	<b>172</b> AR 6460/T 672
<b>134</b> AR 6460/T 634	<b>147</b> AR 6460/T 647	<b>160</b> AR 6460/T 660	<b>173</b> AR 6460/T 673
<b>135</b> AR 6460/T 635	<b>148</b> AR 6460/T 648	<b>161</b> AR 6460/T 661	<b>174</b> AR 6460/T 674
<b>136</b> AR 6460/T 636	<b>149</b> AR 6460/T 649	<b>162</b> AR 6460/T 662	<b>175</b> AR 6460/T 675
<b>137</b> AR 6460/T 637	<b>150</b> AR 6460/T 650	<b>163</b> AR 6460/T 663	<b>176</b> AR 6460/T 676
<b>138</b> AR 6460/T 638	<b>151</b> AR 6460/T 651	<b>164</b> AR 6460/T 1234	<b>177</b> AR 6460/T 677
<b>139</b> AR 6460/T 639	<b>152</b> AR 6460/T 652	<b>165</b> AR 6460/T 967	<b>178</b> AR 6460/T 678